



RDM's Quality Control Solution | MICR Verifier MH

**QUALITY CONTROL.
REJECT REDUCTION.
USER FRIENDLY.**



Two models available for 11" or 14" paper

Product Overview

To ensure your checks comply with the standards of a bank, it is important to maintain an in-house quality control program. Many check printers, equipment vendors and fortune 500 companies around the world use RDM's MICR Verifier to monitor and detect problems associated with the MICR line.

Banks, forced to process inferior MICR documents are tightening up their standards and are implementing tougher penalties for reject items. Banks may charge corporate customers anywhere from \$0.50 to \$6.00 per item for repairing and processing poor quality MICR documents.

When MICR printing errors are not identified and corrected early, entire check runs may need to be reprinted. This results in wasted time, materials and money. When checks are tested regularly using the MICR Verifier, errors in the MICR line can be detected and corrected before it becomes a problem.

Ensure that you have the most technically advanced MICR testing equipment available. Don't leave yourself exposed to the expense and embarrassment associated with substandard MICR documents. The RDM MICR Verifier is a key tool in your MICR quality control program.

Key Features

- ▶ Tests for signal level strength, format, extraneous MICR ink, character spacing, dimension and format errors.
- ▶ Affordable and easy to use tester to monitor the print quality of your own MICR documents
- ▶ Ideal tester for many environments including: corporate check printing data centers, check/security printers, laser printer vendors, field services organizations
- ▶ Stand Alone Tester
- ▶ Read head adjustable to test MICR line anywhere on a 8 1/2" x 11" or 8 1/2 x 14" sheet.


User-Friendly Software

The MICR Verifier is a portable tester that combines simple, one-touch operation with sophisticated built-in analysis software. It has become an industry leader due to its durability and operational simplicity.

Product Specifications

100 inch/second transport speed
ANSI specified read/write head
Test entire 5/8" clear-band
Power Supply: 115 VAC, 60 Hz; 220, 240 VAC 50 Hz
ANSI specified amplifier
Weight: 19 lbs
Dimensions - 11" Unit: 24"(W) x 15"(H) x 11"(L)
14" Unit: 24" (W) x 19" (H) x 11" (L)

Operators appreciate the ease and speed of operation, allowing them to constantly monitor quality and call for service.



Other screens include: main menu, test signal level, spacing errors, bar chart, extraneous ink characters, field analysis and actual signal level.

©2008 RDM Corporation. All rights reserved. RDM and the RDM logo are trademarks of RDM Corporation. RDM reserves the right to make changes to its specifications of all products without notice.

Revised July 2008

RDM Corporation
4-608 Weber St. North, Waterloo, ON Canada N2V 1K4
T 519.746.8483 F 519.746.3317 E sales@rdmcorp.com
www.rdmcorp.com

